

PRODUCT DATASHEET

SMART+ Switch Mini

SMART+ Switch Mini | Indoor switch and remote control with smart home technology, IP44, 3 buttons



AREAS OF APPLICATION

- General illumination
- Controls up to 10 compatible SMART+ products or other compatible ZigBee products via TouchLink without internet
- Integration into LIGHTIFY systems to control SMART+ or other compatible ZigBee products

PRODUCT BENEFITS

- Wall switch and remote control combined in one product
- Control of compatible products without Internet connection or smart devices

PRODUCT FEATURES


- Three individually configurable buttons for up to six functions via short/long press
- Battery-powered
- Network protocol: ZigBee LL 2.0
- Type of protection: IP44

TECHNICAL DATA

Electrical data

Nominal voltage	3.00 V
------------------------	--------

Dimensions & weight



Product weight	41.60 g
Length	80.0 mm
Width	40.0 mm
Height	14.0 mm

Colors & materials

Product color	Grey
----------------------	------

Lifespan

Number of switching cycles	50000
-----------------------------------	-------

Additional product data

Type of Battery	3 V CR2450 Button cell
------------------------	------------------------

Capabilities

Compatible smart home technology	ZigBee
---	--------

Certificates & standards

Type of protection	IP44
---------------------------	------

EQUIPMENT / ACCESSORIES

- LIGHTIFY app required (only for configuration)
- LIGHTIFY Gateway required (only for configuration)

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075051959	SMART+ Switch Mini	Shipping carton box 4	173 mm x 108 mm x 141 mm	2.63 dm ³	443.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.