

Convenio

CONVENIO LINEAR SPOT WHITE 12V 400MM KIT EU

0043327



Product features

- LED linear spot striplight, 600LM, 8.5W, L400, 3000K, 3 x LED spots with 25 degree beam angle, includes driver and EU plug, white/silver aluminium body, low slimline profile, dimensions length 400mm, width 30mm, height 15mm, expandable with accessories, IP20. 14.4W LED Driver is included in the packaging.



PRODUCT OVERVIEW

Product name	CONVENIO LINEAR SPOT WHITE 12V 400MM KIT EU
Technology	LED
Housing	Aluminium
Mount	Ceiling surface mounting
Environment	Internal
General application	Hospitality, Retail, Residential & Consumer
ETIM Class	EC002892
Warranty	2 years
Fixture luminous flux (lm)	600
Luminaire efficacy (lm/W)	70
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	80
Colour Consistency (SDCM)	5
Beam Angle (°)	25
Total power consumption (W)	8.5
Electrical protection	Class II
Housing colour	White
IP rating	IP20
Product EAN number	5410288433271

DATA TABLE

General data

Product name	CONVENIO LINEAR SPOT WHITE 12V 400MM KIT EU
Technology	LED
Housing	Aluminium
Mount	Ceiling surface mounting
Environment	Internal
General application	Hospitality, Retail, Residential & Consumer
Operating temperature range (°C)	-20°C...+30°C
ETIM Class	EC002892
Warranty	2 years

Convenio

CONVENIO LINEAR SPOT WHITE 12V 400MM KIT EU

0043327

Optical data

Fixture luminous flux (lm)	600
Luminaire efficacy (lm/W)	70
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	80
Colour Consistency (SDCM)	5
Adjustable chromaticity	N
Beam Angle (°)	25

Electrical data

Total power consumption (W)	8.5
Mains voltage (V)	220-240V
Electrical protection	Class II
Transformer required	Yes

Physical data

Housing colour	White
IP rating	IP20
Nominal Product Length (mm)	400
Nominal Product Width (mm)	30
Nominal Product Height (mm)	15
Weight (kg)	0.327

Packaging



Single packaging type	Carton
Product EAN number	5410288433271
Packaging single length / height (cm)	41.7
Packaging single width (cm)	6.2
Packaging single depth (cm)	4.6
DUN14 (outer)	15410288433278
Units per outer package	20
Packaging outer length / height (cm)	43.6
Packaging outer width (cm)	25.2
Packaging outer depth (cm)	27.4

Safety data

Optimal operating condition (°C)	-20-30
----------------------------------	--------

PHOTOMETRY

Convenio CONVENIO LINEAR SPOT WHITE 12V 400MM KIT EU 0043327



TECHNICAL DRAWINGS

