

# **PRODUCT DATASHEET**SMART+ Ceiling 33 TW

SMART+ Ceiling 33 TW | Luminaire with smart home technology, color temperature adjustable



# **AREAS OF APPLICATION**

- Indoor applications
- Kitchens, living rooms, children's rooms or home offices
- Corridors
- Residential interiors

# **PRODUCT BENEFITS**

- Easy to install and use

#### **PRODUCT FEATURES**

- Low profile LED ceiling and wall luminaire with wireless smart lighting function
- Adjustable color temperature via Tunable White: 2,700...6,500 K
- Dimmable
- Network protocol: ZigBee LL 2.0
- Controllable via compatible smart home system (gateway and app) or SMART+ Switch
- For full functionality connection to a compatible smart home System (gateway and app) required



# **TECHNICAL DATA**

# Electrical data

Nominal wattage	23.00 W
Nominal voltage	220240 V
Mains frequency	50/60 Hz
Operating mode	Mains voltage


# Photometrical data

Color rendering index Ra	80	
Light color (designation)	Tunable White	
Luminous flux	1800 lm	

# Light technical data

Beam angle	120 °

# Dimensions & weight



Product weight	1040.00 g	
Height	40.5 mm	
Diameter	330.0 mm	

#### Colors & materials

Product color	White
Body material	Plastic

# Temperatures & operating conditions

Ambient temperature range	-2040 °C

# Additional product data

Product remark	Reset settings to default by switching the product on for five seconds		
	and off for five seconds and repeating this five times.		

# Capabilities

Dimmable	Yes
Compatible smart home technology	ZigBee
LED module replaceable	Not replaceable

#### Certificates & standards

Standards	CE	
Protection class	II	
Type of protection	IP20	
EEI of included LED module	A++/A+/A	

# **EQUIPMENT / ACCESSORIES**

- Control via app requires LIGHTIFY system (app and gateway) or other compatible Smart home system

#### **LOGISTICAL DATA**

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075816794	SMART+ Ceiling 33 TW	Shipping carton box 2	389 mm x 380 mm x 142 mm	20.99 dm <sup>3</sup>	3058.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.