

## PARATHOM SPECIAL T26 1.5 W/865 FR E14

PARATHOM SPECIAL T26 | Special LED lamps for refrigerators



### Areas of application

- Small designer luminaires
- Accent lighting
- Outdoor applications only in suitable luminaires
- Sewing machines

### Product benefits

- Very low energy consumption
- Long life
- Robust against vibrations
- Extremely small dimensions
- Lower thermal output (compared with the standard reference product)
- Three year guarantee

### Product features

- Light color: Cool White, Warm White
- Not suitable for use with dimmers
- Base: E14
- LED lamps for line voltage
- Mercury-free lamps
- Lifetime: up to 15,000 h



## Technical data

### Electrical data

Rated wattage	1.50 W
Nominal wattage	1.50 W
Nominal voltage	220...240 V
Operating frequency	50 Hz
Power factor $\lambda$	> 0.10
Claimed equiv. conventional lamp power	15 W


### Photometrical data

Nominal luminous flux	140 lm
Rated luminous flux	140 lm
Color temperature	6500 K
Color rendering index Ra	80
Light color (designation)	Daylight
Standard deviation of color matching	$\leq 6$ sdc <sub>m</sub>

### Light technical data

Warm-up time (60 %)	< 0.50 s
Starting time	< 0.5 s

### Dimensions & weight



Overall length	63.0 mm
Diameter	23.5 mm
Outer bulb	T26
Length	63.0 mm

### Lifespan

## Product datasheet

Nominal lamp life time	15000 h
Rated lamp life time	15000 h
Number of switching cycles	100000
Lumen main.fact.at end of nom.life time	0.70
Lumen maintenance at end of service life	0.70

### Additional product data

Base (standard designation)	E14
Lamp mercury content	0.0 mg
Mercury-free	Yes
Design / version	Frosted
Appropriate disposal acc. to WEEE	Yes
Product remark	All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value

### Capabilities

Dimmable	No
----------	----

### Certificates & standards

Energy efficiency class	A++
Energy consumption	2 kWh/1000h

### Country specific categorizations

ILCOS	DRNT/F-1,5/865-220-240-E14-23,5/63
Order reference	PT26 1,5W/865 2



---

Guarantee

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899937901	PARATHOM SPECIAL T26 1.5 W/865 FR E14	Shipping carton box 20	132 mm x 107 mm x 76 mm	1.07 dm <sup>3</sup>	390.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### References / Links

For Guarantee see

- ▶ [www.osram.com/guarantee](http://www.osram.com/guarantee)

For further products and actual information concerning LED lamps see

- ▶ [www.osram.com/ledlamps](http://www.osram.com/ledlamps)

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.