

PRODUCT DATASHEETP LINE 100 mm 75 9 W/827 R7s

PARATHOM LINE R7s | Double-ended special LED lamps



AREAS OF APPLICATION

- Hospitality
- Domestic applications
- Outdoor applications only in suitable luminaires

PRODUCT BENEFITS

- Long lifetime of up to 15,000 h
- Low energy consumption
- Easy relamping thanks to compact design
- Good all-around light emission

PRODUCT FEATURES

- LED alternative to conventional R7s lamps



TECHNICAL DATA

Electrical data

Rated wattage	9.00 W
Nominal wattage	9.00 W
Nominal voltage	220240 V
Operating frequency	5060 Hz
Power factor λ	> 0.50
Claimed equiv. conventional lamp power	75 W


Photometrical data

Nominal luminous flux	1055 lm
Rated luminous flux	1055 lm
Rated color temperature	2700 К
Color rendering index Ra	≥80
Lumen main.fact.at end of nom.life time	0.70
Light color (designation)	Warm White
Standard deviation of color matching	≤6 sdcm

Light technical data

Warm-up time (60 %)	< 0.50 s	
Starting time	< 0.5 s	

Dimensions & weight



Overall length	118.0 mm
Diameter	24.0 mm
Outer bulb	T24
Length	118.0 mm

Lifespan

Nominal lamp life time	15000 h
Rated lamp life time	15000 h
Number of switching cycles	100000
Lumen maintenance at end of service life	0.70

Additional product data

Base (standard designation)	R7s
Mercury content	0.0 mg
Design / version	Clear
Show WEEE picto	Yes

Capabilities

Dimmable No	
--------------------	--

Certificates & standards

Energy efficiency class	A+		
Energy consumption	9 kWh/1000h		

Country specific categorizations

ILCOS	DRDG-9/827-230-R7s-114,2	
Order reference	LEDPLINE75 9W/8	

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899961241	P LINE 100 mm 75 9 W/827 R7s	Shipping carton box 20	134 mm x 108 mm x 131 mm	1.90 dm ³	1020.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.