

# PRODUCT DATASHEET

## P CLAS A 75 FR 11 W/2700 K E27

**PARATHOM DAYLIGHT SENSOR CLASSIC A | Special LED lamps with daylight sensor, classic bulb shape**



---

### AREAS OF APPLICATION

- Outdoor applications only in suitable luminaires
- Wherever constant lighting is necessary at night

---

### PRODUCT BENEFITS

- Short payback period thanks to low energy consumption and maintenance costs
- Energy-saving lighting solution thanks to automatic switch off at daylight
- Safety through automatic switch-on at darkness
- Very long lifetime of up to 25,000 h
- Low energy consumption
- Easy replacement of classic lamps thanks to compact design
- Instant 100 % light, no warm-up time
- Light sensors detect daylight on the basis of the spectral distribution

---

### PRODUCT FEATURES

- LED alternative to conventional lamps
- High color consistency:  $\leq 6$  SDCM
- Mercury-free lamps



**TECHNICAL DATA**


Electrical data

<b>Rated wattage</b>	11.00 W
<b>Nominal wattage</b>	11.00 W
<b>Nominal voltage</b>	220...240 V
<b>Operating frequency</b>	50...60 Hz
<b>Claimed equiv. conventional lamp power</b>	75 W

Photometrical data

<b>Rated color temperature</b>	2700 K
<b>Lumen main.fact.at end of nom.life time</b>	0.70
<b>Light color (designation)</b>	Warm White
<b>Color temperature</b>	2700 K
<b>Luminous flux</b>	1055 lm
<b>Color rendering index Ra</b>	≥80
<b>Nominal luminous flux</b>	1055 lm

Dimensions & weight



<b>Overall length</b>	115.0 mm
-----------------------	----------

Lifespan

<b>Nominal lamp life time</b>	25000 h
<b>Rated lamp life time</b>	25000 h
<b>Number of switching cycles</b>	100000

Additional product data

<b>Base (standard designation)</b>	E27
<b>Mercury-free</b>	Yes

<b>Product remark</b>	All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value
-----------------------	--

### Capabilities

<b>Dimmable</b>	No
-----------------	----

### Certificates & standards

<b>Energy efficiency class</b>	A+
--------------------------------	----

### Country-specific categorizations

<b>ILCOS</b>	DRAA/F-11,5/827-220-240-E27-60
<b>Order reference</b>	LEDPCLA75DS 11W

### LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075101036	P CLAS A 75 FR 11 W/2700 K E27	Shipping carton box 10	315 mm x 131 mm x 134 mm	5.53 dm <sup>3</sup>	980.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.