

# TRUCKSTAR PRO H4

Brightest OSRAM truck halogen light



**Up to 2.5 times longer lifetime**

Reduced downtime and fleet costs compared to standard lamps



**Up to 120% more brightness**

More light allows to see farther and therefore react sooner compared to the minimum legal standard



**Very high vibration resistance**

Suitable for heavy duty applications



**The most powerful halogen and signal truck lamps from OSRAM**

Discover TRUCKSTAR PRO - the brightest halogen and signal truck lamps from OSRAM with excellent value for money. With extremely long life, up to 120% more light than standard lamps and very high vibration resistance these 24 volt lamps are ideal for professional drivers while reducing downtime and fleet costs. Thanks to the high vibration resistance, TRUCKSTAR PRO lamps are suitable even for heavy duty applications. Due to their impressive brightness and up to 2.5 times longer lifetime compared to standard lamps, the lamps improve your safety while driving on the road.

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

### General Product Information

Global order reference	64196TSP
------------------------	----------

### Electrical Data


Power input	85 / 80 W <sup>1)</sup>
Nominal voltage	24.0 V
Nominal wattage	75/70 W
Test voltage	28.0 V

<sup>1)</sup> Maximum

### Photometric Data

Nominal luminous flux	1900/1200 lm
Luminous flux tolerance	±15 / ±15 %
Color temperature	3200 K

### Physical Attributes & Dimensions



Lamp base	P43t
Length	82.0 mm
Diameter	16.5 mm
Product weight	25.90 g

### Lifetime Data

Lifespan B3	140 / 450 hr <sup>1)</sup>
Lifespan Tc	300 / 1000 hr <sup>1)</sup>

## Product datasheet

1) Filament 1 / Filament 2

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	H4
--------------	----

### Environmental & Regulatory Information



Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172150439   4052899476066   4052899413979   4062172150491   4052899413870   4008321785022   4008321785077
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321785077	TRUCKSTAR PRO H4	Hard Cover Box 2	115 mm x 47 mm x 95 mm	0.16 dm <sup>3</sup>	136.00 g
4062172058858	TRUCKSTAR PRO H4	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm <sup>3</sup>	804.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 User instruction GPRS_Safety symbols instructions
 ref_pim_amsproduct360degreeimages TRUCKSTAR PRO H4 64196TSP

#### Legal advice

Light output compared to the minimum ECE R112 requirements

#### Application advice

For more detailed application information and graphics please see product datasheet.

## Product datasheet

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM