

# ULTRA LIFE H6W

Up to four times longer lifetime



**Extra lifetime**

Up to four times longer lifetime compared to standard auxiliary lamps



**More durability**

For longer replacement cycles and additional reliability and comfort



**Wide product range**

Fits for most common auxiliary lamp types



**The durable light with up to four times longer lifetime**

With ULTRA LIFE, you choose durable signal lamps for your car. The lamps provide a long life span - up to four times longer lifetime compared to standard lamps - and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). They are therefore ideal for frequent drivers.

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

### General Product Information

Global order reference	64132ULT
------------------------	----------


### Electrical Data

Power input	7 W
Nominal voltage	12.0 V
Nominal wattage	6 W
Test voltage	13.5 V
Power input tolerance	±5 %

### Photometric Data

Nominal luminous flux	125 lm
Luminous flux tolerance	±12 %

### Physical Attributes & Dimensions



Diameter	9 mm
Product weight	2.50 g
Length	33.0 mm
Lamp base	BAX9s

### Lifetime Data

Lifespan B3	600 hr
Lifespan Tc	1000 hr

## Product datasheet

### Capabilities

Technology	AUX
------------	-----

### Certificates & standards

ECE category	H6W
Approval marks – approval	E1 approval

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4052899494039   4052899419681   4008321415325   4008321413178   4062172394796
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321413178	OSRA64132ULT	-	-	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321413178	ULTRA LIFE H6W	Unpacked 1	33 mm x 9 mm x 9 mm	0.22 dm <sup>3</sup>	3.00 g
4008321413192	ULTRA LIFE H6W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm <sup>3</sup>	240.00 g
4008321415325	ULTRA LIFE H6W	Blister 2	135 mm x 95 mm x 13 mm	0.22 dm <sup>3</sup>	16.00 g
4008321415332	ULTRA LIFE H6W	Shipping carton box 20	140 mm x 105 mm x 146 mm	2.15 dm <sup>3</sup>	210.00 g
4062172394796	ULTRA LIFE H6W	BLI ECO 2	95 mm x 17 mm x 135 mm	0.22 dm <sup>3</sup>	16.00 g
4062172394802	ULTRA LIFE H6W	Shipping carton box 20	142 mm x 104 mm x 104 mm	1.54 dm <sup>3</sup>	193.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Product datasheet

---

### Download Data

File	
	User instruction GPRS_Safety symbols instructions

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM