



CorePro Plastic LED Specialties



Corepro LED T25 ND 3.2-25W E14 827

The LED specialties can be easily intalled for certain application.

Product data

General Information	
Cap-Base	E14
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	160 degree(s)
Luminous Flux	250 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	78.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	0.4
Photobiological safety according to EN 62471	RG0

Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	3.2 W
Lamp Current (Nom)	35 mA
Wattage Equivalent	25 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.4
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	80 °C

Controls and Dimming	
Dimmable	No

Mechanical and Housing	
Bulb Finish	Frosted
Bulb Shape	T25

Approval and Application	
Energy Efficiency Class	G

CorePro Plastic LED Specialties

Energy Consumption kWh/1000 h	4 kWh
EPREL Registration Number	391880
EyeComfort	Yes

Application Conditions


can it be used in closed luminaires	No
-------------------------------------	----

Product Data

Order product name	Corepro LED T25 ND 3.2-25W E14 827
Full product name	Corepro LED T25 ND 3.2-25W E14 827



Full product code	871951438984700
Order code	929001325802
Material Nr. (12NC)	929001325802
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8719514389847
Numerator - Packs per outer box	12
EAN/UPC - Case	8719514389854

Dimensional drawing



Product	D	C
Corepro LED T25 ND 3.2-25W E14 827	25 mm	71 mm

Photometric data




Spectral Power Distribution Colour - Corepro LED T25 ND 3.2-25W E14 827

General uniform lighting - Corepro LED T25 ND 3.2-25W E14 827


CorePro Plastic LED Specialties

Photometric data




Light Distribution Diagram - Corepro LED T25 ND 3.2-25W E14 827

Lifetime



Life Expectancy Diagram - Corepro LED T25 ND 3.2-25W E14 827



Lumen Maintenance Diagram - Corepro LED T25 ND 3.2-25W E14 827

