

# **PRODUCT DATASHEET**LED STAR CLAS A 100 FR 14 W/2700K E27

LED STAR CLASSIC A | LED lamps, classic bulb shape



#### **AREAS OF APPLICATION**

- Domestic applications
- General illumination
- Outdoor applications only in suitable luminaires

#### **PRODUCT BENEFITS**

- Low energy consumption
- Easy replacement of classic lamps thanks to compact design
- Instant 100 % light, no warm-up time

#### PRODUCT FEATURES

- LED alternative to conventional lamps
- Mercury-free lamps



## **TECHNICAL DATA**

#### Electrical data

Rated wattage	14.00 W
Nominal wattage	14.00 W
Nominal voltage	220240 V
Max. lamp no. on circuit break. 10 A (B)	74
Max. lamp no. on circuit break. 16 A (B)	118
Operating frequency	5060 Hz
Power factor λ	> 0.50
Claimed equiv. conventional lamp power	100 W


#### Photometrical data

Rated luminous flux	1521 lm	
Lumen main.fact.at end of nom.life time	0.70	
Light color (designation)	Warm White	
Color temperature	2700 K	
Luminous flux	1521 lm	
Color rendering index Ra	≥80	
Standard deviation of color matching	≤6 sdcm	
Nominal luminous flux	1521 lm	
Rated color temperature	2700 K	
Color rendering index Ra	≥80	

# Light technical data

Warm-up time (60 %)	< 0.50 s
Starting time	< 0.5 s

## Dimensions & weight



Overall length	120.0 mm
----------------	----------

Diameter	60.0 mm
Outer bulb	A60
Length	120.0 mm

## Temperatures & operating conditions

Ambient temperature range	-20+40 °C
Maximum temperature at tc test point	100 °C

## Lifespan

Nominal lamp life time	15000 h
Rated lamp life time	15000 h
Number of switching cycles	100000
Lumen maintenance at end of service life	0.70

## Additional product data

Base (standard designation)	E27 Yes Frosted Yes	
Mercury-free		
Design / version		
Show WEEE picto		
Product remark	All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value	
Mercury content	0.0 mg	

## Capabilities

Dimmable	No

## Certificates & standards

Energy efficiency class	A+
Energy consumption	14 kWh/1000h

## Country-specific categorizations

ILCOS	DRAA/F-13/827-20-240-E27-62	
Order reference	LEDSCLA100 14W/	

#### **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4052899272392	Blister 1	61 mm x 140 mm x 120 mm	85.00 g	1.02 dm <sup>3</sup>

4052899272408	Shipping carton box 6	381 mm x 153 mm x 136 mm	652.00 g	7.93 dm <sup>3</sup>
4058075127029	Folding carton box 1	60 mm x 60 mm x 120 mm	83.00 g	0.43 dm <sup>3</sup>
4058075127036	Shipping carton box 10	322 mm x 134 mm x 130 mm	946.00 g	5.61 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **REFERENCES / LINKS**

For further products and actual information concerning LED lamps see

www.ledvance.com/ledlamps

For Guarantee see

www.ledvance.com/guarantee

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.