

---

## PARATHOM CL P 40 6 W/827 E14 FR

PARATHOM CLASSIC P | LED lamps, classic mini-ball shape



---

### Areas of application

- General illumination
- Domestic applications
- Atmospheric accent lighting throughout the home
- Outdoor applications only in suitable luminaires

---

### Product benefits

- Very low energy consumption
- Extremely long life
- Robust against vibrations
- No UV and near-IR radiation in the light beam
- Instant 100 % light, no warm-up time
- Simple direct replacement for conventional incandescent lamps
- Lower thermal output (compared with the standard reference product)
- Correct operation even at low temperatures

---

### Product features

- Professional LED lamps for line voltage
- Not dimmable
- Available with E14 or E27 screw base
- Mercury-free lamps



Technical data

Electrical data

|  |             |
|--|-------------|
| Rated wattage                          | 5.30 W      |
| Nominal wattage                        | 6.00 W      |
| Nominal voltage                        | 220...240 V |
| Rated luminous flux                    | 470 lm      |
| Number of switching cycles             | 100000      |
| Operating frequency                    | 50...60 Hz  |
| Power factor $\lambda$                 | > 0.50      |
| Claimed equiv. conventional lamp power | 40 W        |


Photometrical data

|                                      |                           |
|--------------------------------------|---------------------------|
| Nominal luminous flux                | 470 lm                    |
| Color temperature                    | 2700 K                    |
| Color rendering index Ra             | 80                        |
| Light color (designation)            | Warm White                |
| Standard deviation of color matching | $\leq 6$ sdc <sub>m</sub> |

Light technical data

|                     |          |
|---------------------|----------|
| Warm-up time (60 %) | < 0.50 s |
| Starting time       | < 0.5 s  |

Dimensions & weight



|                |         |
|----------------|---------|
| Overall length | 82.0 mm |
| Diameter       | 43.0 mm |
| Outer bulb     | P40     |
| Length         | 82.0 mm |

## Product datasheet

### Lifespan

|  |         |
|--|---------|
| Nominal lamp life time                   | 15000 h |
| Rated lamp life time                     | 15000 h |
| Lumen main.fact.at end of nom.life time  | 0.70    |
| Lumen maintenance at end of service life | 0.70    |

### Additional product data

|                                   |  |
|-----------------------------------|--|
| Base (standard designation)       | E14  |
| Lamp mercury content              | 0.0 mg   |
| Mercury-free                      | Yes  |
| Design / version                  | Frosted  |
| Appropriate disposal acc. to WEEE | Yes  |
| Product remark                    | All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value |

### Capabilities

|          |    |
|----------|----|
| Dimmable | No |
|----------|----|

### Certificates & standards


|                         |             |
|-------------------------|-------------|
| Energy efficiency class | A+          |
| Energy consumption      | 6 kWh/1000h |

### Country specific categorizations

|                 |                              |
|-----------------|------------------------------|
| ILCOS           | DRBP/F-5,8-220-240-E14-43/89 |
| Order reference | PARCLP40 6W/827              |

## Light Distribution

---



Spectral power distribution



Guarantee

---

### Logistical Data

| Product code  | Product description                | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume               | Gross weight |
|---------------|------------------------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4052899912014 | PARATHOM CL P 40<br>6 W/827 E14 FR | Shipping carton box<br>10    | 231 mm x 97 mm x<br>110 mm           | 2.46 dm <sup>3</sup> | 739.00 g     |

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Product datasheet

---

### References / Links

For further products and actual information concerning LED lamps see

- ▶ [www.osram.com/ledlamps](http://www.osram.com/ledlamps)

For Guarantee see

- ▶ [www.osram.com/guarantee](http://www.osram.com/guarantee)

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.