# **OSRAM**

# **ORIGINAL LINE H10**

# Original spare part





#### The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

#### Technical data

# **Product information**

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

#### **General Product Information**

Global order reference 9145	
-----------------------------	--

# **Electrical Data**


Power input	50 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	42 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

# **Photometric Data**

Nominal luminous flux	850 lm
Luminous flux tolerance	±15 %

# **Physical Attributes & Dimensions**



Diameter	12.0 mm
Product weight	20.30 g
Length	74.0 mm
Lamp base	PY20d

# **Lifetime Data**

Lifespan B3	860 hr
Lifespan Tc	1720 hr

#### **Capabilities**

Technology	HAL

#### Certificates & standards

ECE category	H10

# **Environmental & Regulatory Information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Primary article identifier	4052899348622	
Candidate list substance 1	No declarable substances contained	
Declaration no. in SCIP database	No declarable substances contained	

# Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899348622	ORIGINAL LINE H10	FS ECO 1	46 mm x 46 mm x 68 mm	0.14 dm <sup>3</sup>	28.00 g
4052899348646	ORIGINAL LINE H10	Shipping carton box 100	485 mm x 250 mm x 160 mm	19.40 dm³	2978.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Download Data

	File
太	User instruction GPRS_Safety symbols instructions
	ref_pim_amsp_product360degreeimages ORIGINAL H10 9145

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















# **OSRAM**