



CorePro LEDbulb

CorePro LEDbulb 6-40W 827 B22

LEDbulbs are compatible with existing fixtures with an E27 holder and are designed for retrofit replacement of incandescent bulbs.

Product data


General Information	
Cap base	B22 [B22]
Nominal lifetime (nom.)	15000 h
Switching cycle	50000X
Technical type	6-40W
Light Technical	
Colour code	827 [CCT of 2,700 K]
Beam Angle (Nom)	200 °
Luminous flux (nom.)	470 lm
Luminous flux (rated) (nom.)	470 lm
Colour designation	White (WH)
Correlated colour temperature (nom.)	2700 K
Luminous efficacy (rated) (nom.)	78.33 lm/W
Colour consistency	<6
Color rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %
Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	6 W
Lamp current (nom.)	60 mA
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	instant full light
Power factor (nom.)	0.5

Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	98 °C
Controls and Dimming	
Dimmable	no
Mechanical and Housing	
Bulb finish	Frosted (FR)
Approval and Application	
Energy efficiency label (EEL)	A+
Suitable for accent lighting	No
Energy Consumption kWh/1000 h	6 kWh
Product Data	
Full product code	871869651008700
Order product name	CorePro LEDbulb 6-40W 827 B22
EAN/UPC – product	8718696510087
Order code	51008700
Local Code	CLED6WBULBB22
Numerator – quantity per pack	1
Numerator – packs per outer box	10
Material no. (I2NC)	929001172202

CorePro LEDbulb

Net weight (piece) 0.076 kg

Dimensional drawing



LED 6-40W B22 827

Product	D	C
CorePro LEDbulb 6-40W 827 B22	60 mm	108 mm

Photometric data

