



CorePro Plastic LEDbulbs



CorePro LEDbulb ND 5-40W A60 E27 830

The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides beautiful light and dependable performance you expect from LED at an affordable price. CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings of 80% and provides excellent quality of light. By offering a lifetime of 15,000 hours it reduces maintenance costs.

Product data

| General Information | |
|------------------------------------|--------------------|
| Cap-Base | E27 [E27] |
| Nominal lifetime | 15,000 hour(s) |
| Switching Cycle | 50,000 |
| Lighting Technology | LED |
| Flux measurement reference | Sphere |
| CE mark | Yes |
| EU RoHS compliant | Yes |
| Light Technical | |
| Color Code | 830 [CCT of 3000K] |
| Beam Angle (Nom) | 200 degree(s) |
| Luminous Flux | 470 lm |
| Color Designation | White (WH) |
| Correlated Color Temperature (Nom) | 3000 K |
| Luminous Efficacy (rated) (Nom) | 94.00 lm/W |
| Color Consistency | <6 |
| Color rendering index (CRI) | 80 |

| LLMF At End Of Nominal Lifetime (Nom) | 70 % |
|---------------------------------------|-------------|
| Operating and Electrical | |
| Line Frequency | 50 to 60 Hz |
| Input Frequency | 50 to 60 Hz |
| Power Consumption | 5 W |
| Lamp Current (Nom) | 48 mA |
| Wattage Equivalent | 40 W |
| Starting Time (Nom) | 0.5 s |
| Warm-up time to 60% light | 0.5 s |
| Power Factor (Fraction) | 0.5 |
| Voltage (Nom) | 220-240 V |
| Temperature | |
| T-Case Maximum (Nom) | 75 °C |
| Controls and Dimming | |
| Dimmable | No |

CorePro Plastic LEDbulbs



| Mechanical and Housing | |
|-------------------------------|--------------------------------------|
| Bulb Finish | Frosted |
| Bulb Shape | A60 [A 60mm] |
| | |
| Approval and Application | |
| Energy Efficiency Class | F |
| Energy Consumption kWh/1000 h | 5 kWh |
| EPREL Registration Number | 397633 |
| EyeComfort | Yes |
| | |
| Product Data | |
| Order product name | CorePro LEDbulb ND 5-40W A60 E27 830 |

| | |
|---------------------------------|--------------------------------------|
| Full product name | CorePro LEDbulb ND 5–40W A60 E27 830 |
| Full product code | 871869657993000 |
| Order code | 929001304532 |
| Material Nr. (12NC) | 929001304532 |
| Numerator - Quantity Per Pack | 1 |
| EAN/UPC - Product/Case | 8718696579930 |
| Numerator - Packs per outer box | 10 |
| EAN/UPC - Case | 8718696579947 |

Dimensional drawing

| Product | D | C |
|--------------------------------------|-------|--------|
| CorePro LEDbulb ND 5-40W A60 E27 830 | 60 mm | 110 mm |

Photometric data




General uniform lighting - CorePro LEDbulb ND 5-40W A60 E27 830

Spectral Power Distribution Colour - CorePro LEDbulb ND 5-40W A60 E27
830


CorePro Plastic LEDbulbs

Photometric data




Light Distribution Diagram - CorePro LEDbulb ND 5-40W A60 E27 830

Lifetime



Life Expectancy Diagram - CorePro LEDbulb ND 5-40W A60 E27 830



Lumen Maintenance Diagram - CorePro LEDbulb ND 5-40W A60 E27 830

