




GE
Lighting



GE Bright Stik™

LED12/STIK/840/220-240V/E27/F 2/10

93080249

Product information

LED Bright Stik™ illuminates spaces with light instantly. Its sleek cylindrical shape fits in place of a traditional incandescent bulb - and some sockets where a traditional bulb or CFL doesn't fit. Replace a 40W, 60W & 100W incandescent with an LED Bright Stik and keep saving for the next 15 years*. That's a long time you can spend not worrying about light bulbs.

Product data

Product Code	93080249
Bulb Shape	T45
Bulb Finish	White
Bulb maximum overall diameter [mm]	45
Nominal Length [mm]	137.5
Net weight per piece [g]	69
RoHS compliant	Yes
Brand	General Electric (GE)
Cap/Base	E27

Performance data

Nominal beam angle [°]	240
Rated efficacy [lm/W]	96
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]	4000
Nominal lumens [lm]	1150
Colour Rendering Index (CRI) [Ra]	80

Electrical data

Nominal lamp power factor...	>0.5
Operating Temperature (MIN) [°C]	-20
Operating Temperature (MAX) [°C]	40
Starting time (sec)	<0.5
Power Factor	>0.5
Number of switching cycles	50000
Dimming Capability	No
Nominal lamp voltage range [V]	220-240
Nominal power [W]	12

Logistic data

DUN Code	10064894585866
EAN Code	0064894585869
Pack Quantity	10
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[BrightStik range Datasheets \(HTTP\)](#)

[BrightStik range images \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)