



**2700K 25° 350mA CRI80 LED Einbaustr. 8W
chrommatt.m.Konv.dim**
Article nr.: ALU57379UWWD

for indoor use, IP 20 · · housing: diecast aluminum, glass reflector · housing color: chrome matt · 30° swivelling · beam angle: 25° · power: 8 W · light color: 2700 K · luminous flux: 900 lm · CRI: >80 · lifetime L70: >= 33.000 h · input: 350 mA DC · protection class III, MM · · installation depth: 35 mm · ceiling cut-out: 68 mm · outer diameter: 82 mm · energie efficiency class: A++ · including LED converter dimmable via tronic dimmer

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094637372
Housing colour	Chrom matt
Height	25.00 mm
Outer diameter	82 mm
Hole size	68 mm
Depth in ceiling	35.00 mm
LED colour	UWW ca. 2700 K
Lightoutput per fixture	900.00 lm
Lamp	Inklusive LED





**2700K 25° 350mA CRI80 LED Einbaustr. 8W
chrommatt.m.Konv.dim**
Article nr.: ALU57379UWWD

TECHNICAL DATA

IP rating	20
Power	8 W
Current mA	350 mA
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 40
Energy efficiency class	A++
CRI	≥ 80





**2700K 25° 350mA CRI80 LED Einbaustr. 8W
chrommatt.m.Konv.dim**

Article nr.: ALU57379UWWD

TECHNICAL DRAWING

