



MASTER LEDspot MV

MASTER LEDspotMV 7-50W GU10 3000K 40D

Delivering a warm, halogen-like accent beam, MASTER LEDspot MV is a perfect fit for spot lighting (track, corridors, lift lobbies, display cases and cabinets) in the hospitality industry. It is particularly suitable to public areas where the light is on 24/7, such as lobbies, corridors, stairwells. MASTER LEDspot MV delivers huge energy savings and minimizes maintenance cost without any compromise on brightness, enabling hospitality owners to achieve a return on their investment within one year. These LEDspots are compatible with most existing fixtures with a GU10 holder and designed as a retrofit replacement for halogen or incandescent spots. The dimmable versions drive further efficiencies, while helping to create the desired atmosphere. For environments where the right atmosphere needs to be created (e.g. bars and restaurants), the “DimTone” feature could be useful. This is a LED feature that creates a warmer tone once light is dimmed down to lower intensities.

Product data

• General Characteristics

Cap-Base	GU10
Bulb	Reflector [Reflector]
Rated Lifetime (hours)	40000 hr

• Light Technical Characteristics

Color Code	WH
Color Designation (text)	White
Beam Angle	40 D
Beam Description	40D [Medium beam]
Correlated Color Temperature	3000 K
Luminous Intensity	650 cd
Color rendering index	80
Color Temperature	3000 K [CCT 3000K]
Rated Luminous Flux	310 Lm

• Electrical Characteristics

Wattage	7 W
Wattage Technical	7 W
Voltage	240 V
Line Frequency	50-60 Hz
Lamp Current mA	45 mA
Dimmable	Yes

• Measuring Conditions

Switching cycle	50000x
-----------------	--------

• Product Dimensions

Overall Length C	80.5 mm
Diameter D	50.2 mm

• Product Data

Order code	929000164101
Full product code	929000164101
Full product name	MASTER LEDspotMV 7-50W GU10 3000K 40D
Order product name	MASTER LEDspotMV 7-50W GU10 3000K 40D
Pieces per pack	1
Packing configuration	6
Packs per outerbox	6
Bar code on pack - EAN1	8727900860412
Bar code on outerbox - EAN3	8727900860429
Logistic code(s) - 12NC	929000164101
Net weight per piece	0.116 kg

Warnings and Safety


- Operating temperature range is between -20° C and 45° C ambient

- Only to apply in dry or damp locations and most of open fixtures with lamp-holders that offer sufficient space (10 mm free air space)
- Not intended for use with emergency light fixtures or exit lights




PHILIPS
sense and simplicity

Dimensional drawing



MASTER LED 7-50W GU10 3000K 40D Dimm

Product	C (Norm)	D (Norm)
LED 7W 7-50W GU10 3000K 240V 40D Dimm	80.5	50.2



GU10



© 2012 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2012, December 28
data subject to change