

LIGHTIFY Pro PBC

LIGHTIFY Pro PBC |



Areas of application

- Wide range of applications
- Cable-less and flexible installations
- Modernization of existing systems
- Suitable for indoor applications
- Suitable for installation in flush-type boxes

Product benefits

- Control and configuration via smart devices (iOS)
- LIGHTIFY based on standardized wireless ZigBee communication protocols
- Standard pushbuttons/switches can be used
- High efficiency and reliability
- Simplified startup thanks to predefined operation modes
- Maintenance-free operation and minimal installation costs
- Flexible mounting concept
- Mounting in very tight spaces thanks to very flat design
- High system scalability


Product features

- LIGHTIFY Pro wireless network component
- 4 channel pushbutton coupler with LIGHTIFY function
- Supply voltage: 220...240 V
- Operating frequency: 50...60 Hz

Product datasheet

Technical data

Dimensions & weight



Product weight	50.00 g
Length	45.0 mm
Height	17.0 mm

Capabilities

LIGHTIFY technology	Yes

Equipment / Accessories

- LIGHTIFY Pro app or software required

Safety advice

Installation by qualified electrician only.

Download Data

File Declarations of conformity Declaration of Conformity_LIGHTIFY Pro PBC Installation/Operation notice Installation guide LIGHTIFY Pro PBC

Logistical Data

Product datasheet

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899930377	LIGHTIFY Pro PBC	Shipping carton box 20	278 mm x 234 mm x 173 mm	11.25 dm ³	2018.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.