

# PARATHOM PRO MR16 35 36° ADV 8 W/927 GU5.3

PARATHOM PRO MR16 advanced | Dimmable low-voltage LED reflector lamps MR16 with retrofit pin base



### Areas of application

- As a downlight for marking walkways, doors, stairs, etc.
- Exhibitions, department stores
- Outdoor applications only in suitable luminaires
- Directional light sources
- Museums
- Hospitality
- Shops

### **Product benefits**

- Very low energy consumption
- Extremely long life
- Robust against vibrations
- No UV and near-IR radiation in the light beam
- Efficient generation of white light

#### **Product features**

- Professional LED lamp
- Dimmable (with many common dimmers, see also www.osram.com/dim)
- Base: GU5.3
- Lifetime: up to 50,000 h
- Mercury-free lamps
- High color consistency
- High color consistency; SDCM: < 4 (PARATHOM PRO)





# Product datasheet

### Technical data

## **Electrical data**

Rated wattage	6.90 W
Nominal wattage	6.90 W
Nominal voltage	12.0 V
Claimed equiv. conventional lamp power	35 W
Rated luminous flux	350 lm
Operating frequency	5060 Hz
Power factor λ	0.80

## Photometrical data

Luminous intensity	900 cd
Nominal luminous flux	350 lm
Color temperature	4000 K
Color rendering index Ra	90
Light color (designation)	Warm White
Standard deviation of color matching	≤4 sdcm
Nominal useful luminous flux 90°	400 lm
Rated useful luminous flux 90°	400 lm
Rated peak intensity	900 cd

# Light technical data

Beam angle	36 °	
Warm-up time (60 %)	0.20 s	
Starting time	0.2 s	
Nominal beam angle	36 °	
Rated beam angle (half peak value)	36.00 °	

# Dimensions & weight

Overall length	55.8 mm
Diameter	49.6 mm
Outer bulb	MR51
Length	55.8 mm
Maximum diameter	50.0 mm

# Lifespan

Nominal lamp life time	35000 h	
Rated lamp life time	35000 h	

# Product datasheet

Number of switching cycles	100000	
Lumen main.fact.at end of nom.life time	0.70	

## Additional product data

Base (standard designation)	GU5.3		
Lamp mercury content	0.0 mg		
Mercury-free	Yes		
Appropriate disposal acc. to WEEE	Yes		
Product remark	All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value/LED lamps contain several electronic components. Under unfavourable conditions these can lead to acoustic noise. In case of resonance even low noise can cause audible effect. Possible factors influencing this are the installation, the design of the lamp holder and the luminaire (acoustic resonance effect) as well as the dimmer or the transformer (harmonics or electronic resonance)		

## **Capabilities**

Dimmable	Yes <sup>1)</sup>

 $<sup>^{1)}</sup>$  With many common dimmers


## Certificates & standards

Energy efficiency class	A	
Energy consumption	8 kWh/1000h	

# **Country specific categorizations**

ILCOS	DRR-8-12-GU5,3-50/36	
Order reference	PPMR16D3536 7W/	

## **Light Distribution**



### Spectral power distribution



### Guarantee

## **Equipment / Accessories**

- Equipped with high-power LEDs
- Suitable for many commercially available electronic or conventional transformers

## Logistical Data

Product code	Product description	Packaging unit	Dimensions (length	Volume	Gross weight
		(Pieces/Unit)	x width x height)		

### Product datasheet

4052899944084	PARATHOM PRO	Shipping carton box	267 mm x 111 mm x	2.04 dm <sup>3</sup>	685.00 g
	MR16 35 36° ADV 8 W/927 GU5.3	10	69 mm		

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### References / Links

For dimming conformity see

www.osram.com/DIM

For further products and actual information concerning LED lamps see

www.osram.com/ledlamps

For Guarantee see

www.osram.com/guarantee

Further information see

www.osram.com/low-voltage-ledlamps

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.