



NEOLUX®
GERMAN TECHNOLOGY

Standard 21 W 12 V BA15s



Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N382



N382-02B

Electrical Data

Power input	25 W
Test voltage	13.5 V
Power input tolerance	±6 %
Nominal wattage	21 W
Nominal voltage	12.0 V

Photometric Data

Nominal luminous flux	460 lm
Luminous flux tolerance	±15 %

Physical Attributes & Dimensions

Diameter	27.0 mm
Diameter	27.0 mm
Product weight	7.20 g
Length	52.5 mm
Lamp base	BA15s

Lifetime Data

Lifespan Tc	320 hr
Lifespan B3	120 hr

Certificates & standards

ECE category	P21W
British standard	382

Logistical data


Order reference	N382
-----------------	------

Environmental & Regulatory Information

Primary article identifier	4008321770479 4008321770929 4008321781154 4008321812674
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
N382	4008321770479	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1
N382-02B	4008321781154	BLISTER	2



NEOLUX®
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com