OSRAM

Lamps with glass wedge bases WY16W

Original spare part





The cost-effective original spare parts

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Discover these reliable lamps and OSRAM's proven high quality.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp

General Product Information

Global order reference 921NA


Electrical Data

Power input	19.4 W
Nominal voltage	12.8 V
Nominal wattage	16 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometric Data

Nominal luminous flux	190 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Diameter	16.0 mm
Diameter	16.0 mm
Product weight	2.20 g
Length	38.0 mm
Lamp base	W2.1x9.5d

Lifetime Data

Lifespan B3	400 hr
Lifespan Tc	1000 hr

Capabilities

Technology	AUX
------------	-----

Certificates & standards

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Primary article identifier	4062172080286 4052899230460 4062172080262		
Candidate list substance 1	No declarable substances contained		
Declaration no. in SCIP database	No declarable substances contained		

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899230460	ORIGINAL - WEDGE BASE WY16W	Unpacked 1	38 mm x 16 mm x 16 mm	0.01 dm ³	2.00 g
4052899230484	ORIGINAL - WEDGE BASE WY16W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm ³	238.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File



User instruction
GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















OSRAM