

# ULTRA LIFE HY21W

Up to four times longer lifetime




### Extra lifetime

Up to four times longer lifetime compared to standard auxiliary lamps



### More durability

For longer replacement cycles and additional reliability and comfort



### Wide product range

Fits for most common auxiliary lamp types



### The durable light with up to four times longer lifetime

With ULTRA LIFE, you choose durable signal lamps for your car. The lamps provide a long life span - up to four times longer lifetime compared to standard lamps - and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). They are therefore ideal for frequent drivers.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	64137ULT
------------------------	----------

Electrical Data


Power input	25 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	21 W
Test voltage	13.5 V

<sup>1)</sup> Maximum

Photometric Data

Nominal luminous flux	300 lm
Luminous flux tolerance	±17 %

Physical Attributes & Dimensions



Diameter	9 mm
Diameter	9 mm
Product weight	2.68 g
Length	38.9 mm
Lamp base	BAW9s

Lifetime Data

Lifespan B3	400 hr
Lifespan Tc	700 hr

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	HY21W
Approval marks – approval	E1 approval

Environmental & Regulatory Information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4052899910256   4052899910744
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899910256	ULTRA LIFE HY21W	Unpacked 1	38 mm x 9 mm x 9 mm	0.00 dm <sup>3</sup>	3.00 g
4052899910553	ULTRA LIFE HY21W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm <sup>3</sup>	249.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

