

ORIGINAL - METAL BASE PY21W

Original spare part



The cost-effective original spare parts for motorcycles

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for motorcycle lamps. Due to the wide product range, the lamps can be used for different applications. Use these lamps for example as position and parking lights or for number plate and side position lights of your motorcycle.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	7507
Product remark	Amber lamp for clear indicators


Electrical Data

Power input	25 W
Nominal voltage	12.0 V
Nominal wattage	21 W
Power input tolerance	±6 %
Test voltage	13.5 V

Photometric Data

Nominal luminous flux	280 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Lamp base	BAU15s
Length	52.6 mm
Diameter	25.0 mm
Diameter	25.0 mm
Product weight	8.00 g

Lifetime Data

Lifespan B3	250 hr
-------------	--------

Product datasheet

Lifespan Tc	500 hr
-------------	--------

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	PY21W
--------------	-------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321652911 4062172396363 4062172051231 4062172049962 4062172396349 4052899531178 4008321536013 4008321417541 4062172188463 4008321618603 4050300891477 4062172072304 4062172188425 4062172188449 4062172200967 4050300925462 4052899137455
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300891477	OSRA7507	-	-	-
4050300925462	OSRA7507BLI2	-	4730329	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891477	ORIGINAL - METAL BASE PY21W	Unpacked 1	25 mm x 25 mm x 52 mm	0.18 dm ³	8.00 g
4008321091000	ORIGINAL - METAL BASE PY21W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm ³	560.00 g
4050300925462	ORIGINAL - METAL BASE PY21W	Blister 2	95 mm x 70 mm x 18 mm	0.18 dm ³	21.00 g
4008321140517	ORIGINAL - METAL BASE PY21W	Shipping carton box 20	280 mm x 80 mm x 103 mm	2.31 dm ³	265.00 g
4062172396349	ORIGINAL - METAL BASE PY21W	Blister 2	70 mm x 27 mm x 95 mm	0.18 dm ³	28.00 g
4062172396356	ORIGINAL - METAL BASE PY21W	Shipping carton box 20	164 mm x 124 mm x 78 mm	1.59 dm ³	314.00 g

Product datasheet

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	ref_pim_ams_p_product360degreeimages ORIGINAL PY21W 7507

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM