


ORIGINAL - GLASS WEDGE BASE -

Original spare part



The cost-effective original spare parts for motorcycles

The ORIGINAL signal lamps with glass wedge bases can be used as original spare parts for your motorcycle. A large number of applications is possible: Position and parking lights, indicator, brake, fog and reversing lights, instrument and switch lighting, and much more.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	2820
------------------------	------


Electrical Data

Power input	2.2 W
Nominal voltage	12.0 V
Nominal wattage	2 W
Power input tolerance	±10 %
Test voltage	13.5 V

Photometric Data

Nominal luminous flux	13.5 lm
Luminous flux tolerance	±25 %

Physical Attributes & Dimensions



Lamp base	W2.1x9.5d
Length	26.8 mm
Diameter	10.0 mm
Diameter	10.0 mm
Product weight	1.36 g

Lifetime Data

Lifespan B3	600 hr
Lifespan Tc	4000 hr

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	-
--------------	---

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4050300888156 4052899560741 4052899560673 4008321094094
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information


Product code	METEL code	SEG-No.	STK number	UK Org
4008321094094	OSRA2820	-	4739280	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094094	ORIGINAL - WEDGE BASE 2820	Unpacked 1	10 mm x 10 mm x 26 mm	0.00 dm ³	1.00 g
4008321094117	ORIGINAL - WEDGE BASE 2820	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	153.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM