


ORIGINAL - PLASTIC MF BASE -

Original spare part



The cost-effective original spare parts for motorcycles

With the ORIGINAL signal lamps for printed circuit boards, OSRAM offers a wide product range of original spare parts for motorcycles. These lamps provide OSRAM's reliable OEM quality and can be used for instrument and switch lighting.

Product datasheet

Technical data

Product information

| | |
|---|----------------|
| Application (Category and Product specific) | Auxiliary lamp |
|---|----------------|

General Product Information

| | |
|------------------------|----------|
| Global order reference | 2473MFX6 |
|------------------------|----------|


Electrical Data

| | |
|-----------------------|--------|
| Power input | 1.12 W |
| Nominal voltage | 12.0 V |
| Nominal wattage | 1 W |
| Power input tolerance | ±10 % |
| Test voltage | 14.0 V |

Photometric Data

| | |
|-------------------------|--------|
| Nominal luminous flux | 3.6 lm |
| Luminous flux tolerance | ±25 % |

Physical Attributes & Dimensions



| | |
|----------------|-------------|
| Lamp base | BX8.4d-12.5 |
| Length | 17.5 mm |
| Diameter | 5 mm |
| Diameter | 5 mm |
| Product weight | 0.74 g |

Colors & materials

| | |
|------------|---------------|
| Base color | Pastel orange |
|------------|---------------|

Product datasheet

Lifetime Data

| | |
|-------------|---------|
| Lifespan B3 | 500 hr |
| Lifespan Tc | 5000 hr |

Capabilities

| | |
|------------------|---------|
| Thickness of PCB | 1.25 mm |
| Technology | AUX |

Certificates & standards

| | |
|--------------|---|
| ECE category | - |
|--------------|---|

Environmental & Regulatory Information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|---|
| Primary article identifier | 4008321011220 4008321011190 4008321096821 |
| Candidate list substance 1 | No declarable substances contained |
| Declaration no. in SCIP database | No declarable substances contained |

Country specific information


| Product code | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|--------------|---------|------------|--------|
| 4008321096821 | OSRA2473MFX6 | - | - | - |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|-------------------------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4008321096821 | ORIGINAL - PLASTIC MF BASE 2473MFX6 | Unpacked 1 | 17 mm x 5 mm x 5 mm | | 1.00 g |
| 4008321096845 | ORIGINAL - PLASTIC MF BASE 2473MFX6 | Shipping carton box 50 | 148 mm x 115 mm x 55 mm | 0.94 dm ³ | 122.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| File |
|--|
|  User instruction GPRS_Safety symbols instructions |

Product datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM