

TRUCKSTAR PRO T4W

Brightest OSRAM truck light



Excellent brightness

More light allows to see farther and therefore react sooner



More than double the service life

Reduced downtime and fleet costs compared to standard lamps



Very high vibration resistance

Suitable for heavy duty applications



The most powerful halogen truck light from OSRAM

Discover TRUCKSTAR PRO signal lamps - the brightest truck light from OSRAM with excellent value for money. With up to 100% more light than standard lamps, extremely long life and very high vibration resistance these 24 volt lamps are ideal for professional drivers while reducing downtime and fleet costs. Thanks to the high vibration resistance, TRUCKSTAR PRO lamps are suitable even for heavy duty applications. Due to their impressive brightness and more than double the service life compared to standard lamps, the lamps improve your safety while driving on the road.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	3930TSP
------------------------	---------


Electrical Data

Power input	5 W
Nominal voltage	24.0 V
Nominal wattage	4 W
Power input tolerance	±10 %
Test voltage	28.0 V

Photometric Data

Nominal luminous flux	35 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Lamp base	BA9s
Length	27.4 mm
Diameter	9 mm
Diameter	9 mm
Product weight	2.03 g

Lifetime Data

Lifespan B3	550 hr
Lifespan Tc	1000 hr

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	T4W
--------------	-----

Environmental & Regulatory Information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172158336 4008321795106 4008321174055 4008321842589
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321174055	TRUCKSTAR PRO T4W	Blister 2	- x - x -		
4008321174062	TRUCKSTAR PRO T4W	Shipping carton box 20	140 mm x 105 mm x 146 mm	2.15 dm ³	201.00 g
4008321795106	TRUCKSTAR PRO T4W	Unpacked 1	9 mm x 9 mm x 27 mm	0.00 dm ³	2.00 g
4008321795120	TRUCKSTAR PRO T4W	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	187.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

