

ORIGINAL - FESTOON -

Original spare part



The cost-effective original spare parts for trucks

The ORIGINAL festoon lamps with OSRAM's reliable OEM quality can be used as original spare parts for 24 volt lamps. The typical application areas of the lamps are number plate and side position lights as well as interior lighting and reading lights.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	6424
------------------------	------


Electrical Data

Power input	7 W
Nominal voltage	24.0 V
Nominal wattage	5 W
Power input tolerance	±10 %
Test voltage	28.0 V

Photometric Data

Nominal luminous flux	60 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Lamp base	SV8.5-8
Length	41.0 mm
Diameter	11.0 mm
Diameter	11.0 mm
Product weight	3.22 g

Lifetime Data

Lifespan B3	1000 hr
Lifespan Tc	2000 hr

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	-
--------------	---

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4050300891712 4008321007742
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information


Product code	METEL code	SEG number	STK number	UK Org
4050300891712	OSRA6424	8328192	4738005	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891712	ORIGINAL FESTOON 6424	Unpacked 1	41 mm x 11 mm x 11 mm	0.01 dm ³	3.00 g
4008321090829	ORIGINAL FESTOON 6424	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm ³	321.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM