

ORIGINAL LINE H3

Original spare part



The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

General Product Information

Global order reference	64151
------------------------	-------

Electrical Data


Power input	68 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	55 W
Test voltage	13.2 V

¹⁾ Maximum

Photometric Data

Nominal luminous flux	1450 lm
Luminous flux tolerance	±15 %

Physical Attributes & Dimensions



Diameter	11.5 mm
Product weight	6.90 g
Length	42.0 mm
Lamp base	PK22s

Lifetime Data

Lifespan B3	400 hr
Lifespan Tc	650 hr

Product datasheet

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	H3
--------------	----

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172395540 4062172027311 4062172113748 4058075021914 4052899387195 4062172285872 4062172131896 4008321014399 4050300001494 4050300271729 4062172117012 4062172163880 4050300925349 4052899412040 4008321006288 4062172343763 4050300839578 4050300211190 4052899563247
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300001494	OSRA64151	8328030	4739915	-
4050300001494	OSRA64151	-	4739915	-
4050300925349	OSRA64151BLI1	-	4730318	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300001494	ORIGINAL LINE H3	FS ECO 1	25 mm x 23 mm x 70 mm	0.01 dm ³	9.00 g
4050300211183	ORIGINAL LINE H3	Shipping carton box 100	245 mm x 145 mm x 140 mm	4.97 dm ³	965.00 g
4050300925349	ORIGINAL LINE H3	Blister 1	135 mm x 95 mm x 24 mm	0.01 dm ³	19.00 g
4008321142306	ORIGINAL LINE H3	Shipping carton box 10	225 mm x 105 mm x 145 mm	3.43 dm ³	258.00 g
4062172395540	ORIGINAL LINE H3	BLI ECO 1	95 mm x 22 mm x 135 mm	0.01 dm ³	16.00 g
4062172395557	ORIGINAL LINE H3	Shipping carton box 10	144 mm x 134 mm x 110 mm	2.12 dm ³	208.00 g

Product datasheet

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	ref_pim_ams_p_product360degreeimages ORIGINAL H3 64151

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM