


ORIGINAL LINE HB3A

Original spare part



The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

General Product Information

Global order reference	9005XS
------------------------	--------

Electrical Data


Power input	73 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	60 W
Test voltage	13.2 V

¹⁾ Maximum

Photometric Data

Nominal luminous flux	1860 lm
Luminous flux tolerance	±12 %

Physical Attributes & Dimensions



Diameter	12.0 mm
Product weight	18.20 g
Length	80.3 mm
Lamp base	P20d

Lifetime Data

Lifespan B3	280 hr
Lifespan Tc	550 hr

Product datasheet

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	HB3A
--------------	------

Environmental & Regulatory Information



Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	0046135320408 4052899982567
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899982567	ORIGINAL LINE HB3A	Folding carton box 1	46 mm x 46 mm x 68 mm	0.01 dm³	23.00 g
4052899982581	ORIGINAL LINE HB3A	Shipping carton box 100	477 mm x 249 mm x 168 mm	20.04 dm³	2662.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	ref_pim_amsproduct360degreeimages ORIGINAL HB3A 9005XS

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



