OSRAM

ORIGINAL LINE H2

OEM quality for trucks





The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

General Product Information

Global order reference	64175

Electrical Data


Power input	84 W ¹⁾
Nominal voltage	24.0 V
Nominal wattage	70 W
Test voltage	28.0 V

¹⁾ Maximum

Photometric Data

Nominal luminous flux	2150 lm	
Luminous flux tolerance	±15 %	
Color temperature	3200 K	

Physical Attributes & Dimensions



Lamp base	X511
Length	31.0 mm
Diameter	9 mm
Diameter	9 mm
Product weight	2.35 g

Lifetime Data

Lifespan B3	90 hr

Product datasheet

Lifernan Ta	250 hr
Lifespan Tc	250 hr

Capabilities

Certificates & standards

ECE category	H2

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Primary article identifier 4050300218960				
Candidate list substance 1	No declarable substances contained			
Declaration no. in SCIP database	No declarable substances contained			

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300218960	OSRA64175	-	-	-
4050300218960	OSRA64175	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300218960	ORIGINAL LINE H2	FS ECO 1	25 mm x 23 mm x 70 mm	0.04 dm ³	4.00 g
4050300218984	ORIGINAL LINE H2	Shipping carton box 100	122 mm x 109 mm x 361 mm	4.80 dm ³	540.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File



User instruction
GPRS_Safety symbols instructions

Application advice

Product datasheet

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















