

# ULTRA LIFE H1

## Longer life and 4 year guarantee





#### 4 year OSRAM guarantee

For a worry-free driving pleasure. Refer to www.osram.com/am-guarantee for precise conditions



## Extra lifetime Up to four times longer lifetime compared to standard halogen lamps



More durability For longer replacement cycles and additional reliability and comfort



#### The durable light with up to four times longer lifetime

OSRAM ULTRA LIFE automotive lamps are a favorite when it comes to durability. They have an impressive lifespan up to four times longer compared to standard halogen lamps and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). OSRAM provides a 4 year guarantee for the reliable ULTRA LIFE headlight lamps (www.osram.com/am-guarantee). In addition to this, ULTRA LIFE headlight lamps have a modern design with silver cap (H4/H7/H11). They are therefore ideal for frequent drivers or people who use daytime running lights, and can also be used in clear-glass headlights.

© 2025, OSRAM GmbH. All rights reserved.

## Technical data

## **Product information**

Application (Category and Product specific)	Halogen headlight lamp

#### **General Product Information**

## **Electrical Data**


Power input	68 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	55 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

## **Photometric Data**

Nominal luminous flux	1550 lm
Luminous flux tolerance	±15 %
Color temperature	3200 К

# Physical Attributes & Dimensions



Diameter	8.5 mm
Product weight	6.30 g
Length	62.5 mm
Lamp base	P14.5s

## Lifetime Data

Lifespan B3	1200 hr
Lifespan Tc	2000 hr

# Capabilities

Technology	HAL	

H1

## Certificates & standards

ECE category

## Environmental & Regulatory Information

# Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Primary article identifier	4008321416100   4062172257008   4008321416209   4052899412170   4008321416162   4062172388122   4052899987043   4052899412156
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

## Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321416162	OSRA64150ULTDUO	-	-	-
4008321416209	OSRA64150ULT	-	-	-
4008321416209	OSRA64150ULT	-	-	-



ref\_pim\_amsp\_productinfographic s

## Logistical Data

Product code	Product description	Packaging unit	Dimensions (length	Volume	Gross weight
		(Pieces/Unit)	x width x height)		

ULTRA LIFE H1	Blister 1	135 mm x 95 mm x 24 mm	0.61 dm <sup>3</sup>	18.00 g
LII TRA LIFE H1				
oenineli e m	Shipping carton box 10	225 mm x 105 mm x 145 mm	3.43 dm <sup>3</sup>	240.00 g
ULTRA LIFE H1	Hard Cover Box 2	115 mm x 47 mm x 95 mm	0.61 dm³	98.00 g
ULTRA LIFE H1	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm <sup>3</sup>	614.00 g
ULTRA LIFE H1	FS ECO 1	25 mm x 23 mm x 70 mm	0.61 dm <sup>3</sup>	8.00 g
ULTRA LIFE H1	Shipping carton box 100	245 mm x 145 mm x 140 mm	4.97 dm <sup>3</sup>	955.00 g
ULTRA LIFE H1	HFB ECO 2	100 mm x 51 mm x 120 mm	0.61 dm³	43.00 g
ULTRA LIFE H1	Shipping carton box 10	266 mm x 111 mm x 134 mm	3.96 dm³	292.00 g
	ULTRA LIFE H1 ULTRA LIFE H1 ULTRA LIFE H1 ULTRA LIFE H1	ULTRA LIFE H1Hard Cover Box 2ULTRA LIFE H1Shipping carton box 10ULTRA LIFE H1FS ECO 1ULTRA LIFE H1Shipping carton box 100ULTRA LIFE H1HFB ECO 2ULTRA LIFE H1HFB ECO 2ULTRA LIFE H1Shipping carton box	ULTRA LIFE H1Hard Cover Box 2115 mm x 47 mm x 95 mmULTRA LIFE H1Shipping carton box 10268 mm x 126 mm x 125 mmULTRA LIFE H1FS ECO 1025 mm x 23 mm x 70 mmULTRA LIFE H1Shipping carton box 100245 mm x 145 mm x 140 mmULTRA LIFE H1HFB ECO 2100 mm x 51 mm x 120 mmULTRA LIFE H1HFB ECO 2100 mm x 51 mm x 120 mmULTRA LIFE H1Shipping carton box 2266 mm x 111 mm x	ULTRA LIFE H1Hard Cover Box 2115 mm x 47 mm x 95 mm0.61 dm³ULTRA LIFE H1Shipping carton box 10268 mm x 126 mm x 125 mm4.22 dm³ULTRA LIFE H1FS ECO 125 mm x 23 mm x 70 mm0.61 dm³ULTRA LIFE H1FS ECO 125 mm x 145 mm x 140 mm4.97 dm³ULTRA LIFE H1Shipping carton box 100245 mm x 145 mm x 140 mm4.97 dm³ULTRA LIFE H1HFB ECO 2100 mm x 51 mm x 120 mm0.61 dm³ULTRA LIFE H1Shipping carton box 2266 mm x 111 mm x3.96 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Download Data

	File
7	User instruction GPRS_Safety symbols instructions
7	Brochures ULTRA LIFE Leaflet EN
D	Product movie ULTRA LIFE Trailer EN
	ref_pim_amsp_product360degreeimages ULTRA LIFE H1 64150ULT

#### **References / Links**

Guarantee terms are available at www.osram.com/am-guarantee

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

## Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













1.0 O

2. ⊂() ⇔ [



