

# ORIGINAL LINE H1

OEM quality for trucks



## The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

### General Product Information

Global order reference	64155
------------------------	-------

### Electrical Data


Power input	84 W <sup>1)</sup>
Nominal voltage	24.0 V
Nominal wattage	70 W
Test voltage	28.0 V

<sup>1)</sup> Maximum

### Photometric Data

Nominal luminous flux	1900 lm
Luminous flux tolerance	±15 %

### Physical Attributes & Dimensions



Lamp base	P14.5s
Length	62.5 mm
Diameter	8.5 mm
Product weight	6.30 g

### Lifetime Data

Lifespan B3	400 hr
Lifespan Tc	650 hr

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	H1
--------------	----

### Environmental & Regulatory Information



Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4050300880051   4062172285094   4062172130837   4050300925844   4050300362861   4008321371515   4062172216517   4008321393333   4008321675521   4052899412101   4050300016498   4062172232296
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300925844	ORIGINAL LINE H1	Blister 1	135 mm x 95 mm x 23 mm	0.01 dm <sup>3</sup>	18.00 g
4008321142290	ORIGINAL LINE H1	Shipping carton box 10	225 mm x 105 mm x 145 mm	3.43 dm <sup>3</sup>	248.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 User instruction GPRS_Safety symbols instructions
 ref_pim_amsproduct360degreeimages ORIGINAL TRUCK H1 64155

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

## Product datasheet

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM